

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

» **Search Results**[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "((sense or sensing or detect or detecting) and differential amplifier and saturation)&lt;in&gt;meta..."

[Email](#)

Your search matched 2 of 1286976 documents.


A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending** order.» **Search Options**[View Session History](#)**Modify Search**[New Search](#) [Search](#) Check to search only within this results set» **Key**Display Format:  Citation  Citation & Abstract**IEEE JNL** IEEE Journal or Magazine**Select Article Information****IEE JNL** IEE Journal or Magazine**IEEE CNF** IEEE Conference Proceeding 1. **Charge-and-split sense amplifier for multilevel nonvolatile memories**Torelli, G.; Calligaro, C.; Manstretta, A.; Pierin, A.; Rolandi, P.;  
Electronics Letters  
Volume 35, Issue 10, 13 May 1999 Page(s):796 - 798  
Digital Object Identifier 10.1049/el:19990529[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEE JNL**IEEE CNF** IEE Conference Proceeding 2. **A simple way to extend the common-mode input-voltage range of the MOS pair**Minch, B.A.;  
Circuits and Systems, 2002. MWSCAS-2002. The 2002 45th Midwest Symposium  
Volume 1, 4-7 Aug. 2002 Page(s):1 - 97-100 vol.1[AbstractPlus](#) | Full Text: [PDF\(299 KB\)](#) IEEE CNF[View Selected Items](#)[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Indexed by  
**BEST AVAILABLE COPY**



- Data
- Drawing
- Actions
  - US (20) enhanced adjustable and controllable access to feedback and control (13) 4 and (20) setting to series) and parameters
  - Load
  - Shared
    - US (20) enhanced adjustable and controllable access to feedback and control (13) 4 and (20) setting to series) and parameters
  - Favorites
  - Recent (0)
  - Help
  - Logout
  - Trash



Document ID	Issue Date	Pages	Title	Patent Type	Current User	Current Location	Inventor	Status	Links
US 20090739294 A1	20090326	18	Power converter system with static var control	300/299			Lechner, Douglas M. et al.	P, C, R, M, C, E	US 20090739294 A1
US 20090170497 A1	20090625	16	Layout technique for matched resistors on an integrated circuit substrate	300/292			Sobol, David A.	P, C, R, M, C, E	US 20090170497 A1
US 20090173491 A1	20090610	16	System and method for a startup circuit for a differential CMOS inverter	300/293			Sobol, David A.	P, C, R, M, C, E	US 20090173491 A1
US 20090173491 A1	20090610	18	System and method for a programmable gain amplifier	300/293			Sobol, David A.	P, C, R, M, C, E	US 20090173491 A1
US 20090173491 A1	20090610	194	Integrated SOI having an increased burning range over process and temperature variations	300/292			Sobol, David A.	P, C, R, M, C, E	US 20090173491 A1
US 20090106516 A1	20090416	170	Variable gain amplifier for low voltage applications	455/292.1	455/292.2		Sobol, David A.	P, C, R, M, C, E	US 20090106516 A1
US 20090106516 A1	20090416	175	Variable gain amplifier for variable gain applications utilizing a compensated differential pair	455/294	455/297		Wolpert, Michael W. et al.	P, C, R, M, C, E	US 20090106516 A1
US 20090173492 A1	20090422	18	Layout technique for matched resistors on an integrated circuit substrate	710/10	710/12		Sobol, David A.	P, C, R, M, C, E	US 20090173492 A1
US 20090173492 A1	20090422	18	System and method for a startup circuit for a differential CMOS inverter	300/294			Sobol, David A.	P, C, R, M, C, E	US 20090173492 A1
US 20090173492 A1	20090422	19	Layout technique for matched resistors on an integrated circuit substrate	300/292			Sobol, David A.	P, C, R, M, C, E	US 20090173492 A1
US 20090173492 A1	20090422	17	System and method for a programmable gain amplifier	300/293			Sobol, David A.	P, C, R, M, C, E	US 20090173492 A1

BEST AVAILABLE COPY